



Lecture 5: Integrated Urban Models


*Some of the previous lecture in the open box is repeated
as we now have some better visuals*

Outline

- Modular Modelling: Coupled Spatial Interaction
- Demand and Supply: Market Clearing
- Input-Output: The Echenique Models
- Integrated Large-Scale Model Structures
- Sketch for an Integrated Model
- Requirements for Large Scale Models:
Computational Resources, Intelligibility,
Accessibility, and Relations to Stakeholder

Modular Modelling: Coupled Spatial Interaction again

The Lowry model has many variants – I have put the original report from RAND in 1964 up online



But one version of this model is that by Echenique and this basically treats stocks and activities – supply and demand – and builds these into the model by actually modelling stocks rather than just using it as a constraint as we did in the last lecture.




Fig. 3.4. Generalised flow chart of the Stocks-Activities model.

Demand and Supply: Market Clearing

Now we looked at the iterations in the residential and retail models so that we could indicate balance between demand and supply through constraints and showed how arbitrary some of these constraints actually are.

I will repeat the model structure here in the powerpoint as we now have it animated – I know web readers can't see this and it is the same as the other flow chart in the previous lecture but it helps to see the sequence of loops in this form.


In the following slide, we have two submodels – first residential location and second retail location

In each submodel, we first have interaction (trip distribution) and then location.

The first loops in terms of interaction are for capacity constraints on supply, the second are for capacity constraints on location →

The second set of red loops involve reiterating the interaction and location so that we can get balance within the entire submodel →

The thick black loop in the middle couples the residential to the retail mode, the thick black loop around the two models is used if retail predictions are to influence employment →



Input-Output: The Echenique Models

So far we have only developed couplings between models that are added together in ordered sequences that string sectors together apart from reference last time to the Lowry model which organised this sequence around the basic-non-basic employment multiplier.

We can extend this to a series of linked causal multipliers between different sectors by extending this chain to an input-output model framework. In essence we define many different sectors involving households, labour, industries, services and so on and build the model so that there are consistent economic relations between each

Echenique's MEPLAN models are structured in this fashion. We can introduce these as follows.

Essentially the system is divided into production and consumption based on activities m that are produced in zone i , X_i^m , and consumed as activities n in zone j , Y_j^n

These are organised as in an input output table but noting that they are spatially specific

$$X_i^m = \sum_j \sum_n T_{ij}^{mn}$$

$$Y_j^n = \sum_i \sum_m T_{ij}^{mn}$$

Here is the typical I-O table




Figure 2. Transaction matrix T .

- Section A of the matrix T^{mn} represents the transactions between factors. This area is normally included in standard input–output models (Leontief, 1951). It represents the sales from sector m to sector n .
- Section B of the matrix T^{mn} represents the transactions between factor m and the household group n , in other words the consumption by the households of products or services m .
- Section C of the matrix T^{mn} represents the transactions between factors m to be exported to outside the area in consideration. Normally, both sections B and C are considered the final demand in standard input–output models that also includes investments and government consumption. It is described as the exogenous sector, that is to say, it is determined outside the model.
- Section D represents the sale of labor or other income received by socio-economic groups m from the factor n (e.g. dividends).
- Section E represents the sale of labor from socio-economic groups m to households in socio-economic groups n (e.g. domestic labor).
- Section F represents the sale of labor or other income received from the exogenous factor, such as pensions and other payments from government, etc.
- Section G represents the imports from outside the area and payments to the exogenous factor such as taxes to the government. In this sector, rental of property or land is sometimes included.
- Section H represents the payments by the households factor such as taxes, rental, etc.
- Section I represents payments by the exogenous factor to itself, such as imports for the government or for investments.

The flows are based on spatial interaction models of the form

$$T_{ij}^{mn} = Y_j^n \frac{\exp(-\beta^m c_{ij}^m)}{\sum_i \exp(-\beta^m c_{ij}^m)}$$

Where the generalised interaction costs also include other costs such as prices of good m at i

$$c_{ij}^m = p_i^m + t_{ij}^m + w_{ij}^m$$

The order in which these equations are solved and linked together is given in the following flow chart

Note that prices are determined from spatial interactions as

$$p_i^m = \frac{1}{\beta} \log \sum_i \exp(-\beta^m c_{ij}^m)$$

And then linked back to the prices of goods produced as

$$p_j^n = \sum_m a^{mn} p_j^m$$

$$a^{mn} = \frac{\sum_i \sum_j T_{ij}^{mn}}{\sum_j Y_j^n}$$

The precise details of how the model works are extremely hard to figure out from the papers but the following flow chart goes some way to showing how the various elements are configured.

This is a general point. In models that are coupled in this fashion – integrated, then it is often hard to figure out the precise ordering or the structure




Figure 3. An integrated spatial system.

Integrated Large-Scale Model Structures

I will simply point you in the right directions here – the Handbook I referred you to in the last lecture contains several very good papers on these issues and I will briefly present some notes from Miller's article

Google books handbook of transport geography and Search Books [Advanced Book Search](#)

Handbook of transport geography and spatial systems, Volume 5 By David A. Hensher

☆☆☆☆☆
2 Reviews
[Write review](#)
[About this book](#)

Search in this book

[Add to My Library](#) ▾


Get this book
[Emerald Group Publishing](#)
[Amazon.com](#) - \$215.00

Chapter 10

INTEGRATED LAND USE/TRANSPORT MODEL REQUIREMENTS

ERIC J. MILLER
University of Toronto

Here is a summary from his article of the key structure of such models and also their requirements



Box 1
Integrated urban model design issues

Physical system representation

- Time
- Space (land)
- Building stock
- Transportation networks
- Services

Representation of processes

- Land development
- Location choices
- Job market
- Demographics
- Regional economics
- Automobile holdings
- Activity/travel demand
- Network performance

Representation of decision-makers

- Persons
- Households
- Private firms
- Public authorities

“Generic issues”

- Level of aggregation/disaggregation
- Endogenous versus exogenous treatment
- Level of “process type”
- Model specification

Implementation issues

- Data requirements
- Computational requirements
- Technical support requirements

Box 2
Model evaluation criteria

Credibility

- Theoretical soundness
- Policy sensitivity
- Precision (spatially, temporally)
- Validation

Feasibility

- Computational requirements
- Data requirements
- Technical support requirements
- Cost

Usability

- Ease of input preparation
- Model run time
- Output/presentation capabilities
- Portability/transferability
- Flexibility/adaptability

Table 1. General facts

Software	Developer	Operational history	Platform	Commercial availability	Support
ITLUP	S. H. Putman	Developed over the last 25 years; operationally applied in many US cities plus selected overseas (40 plus calibrations)	Originated in FORTRAN for mainframe/work-station. PC version (METROPILUS) in ArcView shell, which provides linkage to ArcView GIS (Windows compatible)	Yes	Consulting firm, with commercial documentation and technical support (user's manual, newsletter, user group)
MEPLAN	M. Echenique	Much shared history over 25-year development. Operational applications throughout the world, including the USA (Sacramento for both; Washington State for MEPLAN; Oregon State and Baltimore for TRANUS)	MEPLAN originated in FORTRAN for mainframe; now PC based	Yes	Consulting firm, with commercial documentation and technical support (user's manual, newsletter)
TRANUS	T. de la Barra		TRANUS developed directly for PC (Windows orientation)	Yes	Consulting firm, with commercial documentation and technical support (user's manual)
MUSSA	F. Martinez	Operational in Santiago, Chile. Developed over last 8-10 years	PC based; runs under Windows. Interfaces with a relational database management system (Access). GUI and GIS	Yes	University-based research team in collaboration with the Government of Chile
NYMTC-LUM	A. Anas	Currently being implemented in New York City. Based upon previous models (CATLAS, CPHMM, NYSIM) developed in Chicago and New York over the last 20 years	PC or workstation. FORTRAN program	Yes	Alex Anas & Associates (a small firm). Limited documentation
UrbanSim	P. Waddell	Currently being implemented in Honolulu, Eugene/Springfield and Salt Lake City. Historical validation performed in Oregon	Platform independent, written in Java. Viewer currently implemented in MapObjects GIS on Windows 95/NT	Yes; public domain via website (www.urbansim.org)	University of Washington. Limited documentation currently. Reference manual, user guide, software available at website (www.urbansim.org)

To cite this Article Hunt, J. D. , Kriger, D. S. and Miller, E. J.(2005) 'Current operational urban land-use-transport modelling frameworks: A review', *Transport Reviews*, 25: 3, 329 – 376

To link to this Article: DOI: 10.1080/0144164052000336470

URL: <http://dx.doi.org/10.1080/0144164052000336470>

Sketch for an Integrated Model

I am very quickly going to sketch an integrated model which builds on the ideas of the last lecture – I will not disaggregate the model into m employment types and n housing types but we can assume that this is a complicating feature that simply makes the presentation trickier – so we will simply deal with the aggregate version

The model has three sectors – employment, retailing and residential location with a link from retailing into part employment. Three different models are built for each sector – spatial interaction for residential and retailing and a linear model of land development for employment

We begin with the residential, then retail sector, then trips capacities, and finally employment

$$T_{ij}^k = E_i \frac{R_j \exp(-\lambda^k c_{ij}^k)}{\sum_{jk} R_j \exp(-\lambda^k c_{ij}^k)}$$

$$P_j = \sum_{ik} T_{ij}^k \quad \text{Residential location}$$

$$\text{if } P_j > P_j^{\max} \rightarrow R_j^* = R_j \frac{P_j}{P_j^{\max}}$$

$$S_{jz}^k = P_j \frac{W_z \exp(-\beta^k c_{jz}^k)}{\sum_{jz} W_z \exp(-\beta^k c_{jz}^k)}$$

$$S_z = \sum_{jk} S_{jz}^k \quad \text{Retail location}$$

$$\text{if } S_z > S_z^{\max} \rightarrow W_z^* = W_z \frac{S_z}{S_z^{\max}}$$

$$\text{if } F_{ij}^k (= T_{ij}^k + S_{ij}^k) > CAP_{ij}^k \rightarrow c_{ij}^{k*} = c_{ij}^k \frac{T_{ij}^k + S_{ij}^k}{CAP_{ij}^k}$$

Capacitated Transport Constraints

$$E_i = X_i + \phi S_i$$

$$X_i = X \frac{\sum_q \alpha_q x_{qi}}{\sum_q \sum_i \alpha_q x_{qi}}$$

Employment location

$$E_i^* = X_i + \phi S_i$$

In the next slides, we show the loops which need to be invoked to balance demand and supply and to couple the submodels

We begin with the residential, then retail sector, then trips capacities, and finally employment

$$T_{ij}^k = E_i \frac{R_j \exp(-\lambda^k c_{ij}^k)}{\sum_{jk} R_j \exp(-\lambda^k c_{ij}^k)}$$

$$P_j = \sum_{ik} T_{ij}^k$$

$$\text{if } P_j > P_j^{\max} \rightarrow R_j^* = R_j \frac{P_j}{P_j^{\max}}$$

$$S_{jz}^k = P_j \frac{W_z \exp(-\lambda^k c_{jz}^k)}{\sum_{jz} W_z \exp(-\beta^k c_{ijz}^k)}$$

$$S_z = \sum_{jk} S_{jz}^k$$

$$\text{if } S_z > S_z^{\max} \rightarrow W_z^* = W_z \frac{S_z}{S_z^{\max}}$$

$$\text{if } F_{ij}^k (= T_{ij}^k + S_{ij}^k) > CAP_{ij}^k \rightarrow c_{ij}^{k*} = c_{ij}^k \frac{T_{ij}^k + S_{ij}^k}{CAP_{ij}^k}$$

$$E_i = X_i + \phi S_i$$

$$X_i = X \frac{\sum_q \alpha_q x_{qi}}{\sum_q \sum_i \alpha_q x_{qi}}$$

$$E_i^* = X_i + \phi S_i$$

We begin with the residential, then retail sector, then trips capacities, and finally employment

$$T_{ij}^k = E_i \frac{R_j \exp(-\lambda^k c_{ij}^k)}{\sum_{jk} R_j \exp(-\lambda^k c_{ij}^k)}$$

$$P_j = \sum_{ik} T_{ij}^k$$

if $P_j > P_j^{\max} \rightarrow R_j^* = R_j \frac{P_j}{P_j^{\max}}$

$$S_{jz}^k = P_j \frac{W_z \exp(-\lambda^k c_{jz}^k)}{\sum_{jz} W_z \exp(-\beta^k c_{ijz}^k)}$$

$$S_z = \sum_{jk} S_{jz}^k$$

if $S_z > S_z^{\max} \rightarrow W_z^* = W_z \frac{S_z}{S_z^{\max}}$

if $F_{ij}^k (= T_{ij}^k + S_{ij}^k) > CAP_{ij}^k \rightarrow c_{ij}^{k*} = c_{ij}^k \frac{T_{ij}^k + S_{ij}^k}{CAP_{ij}^k}$

$$E_i = X_i + \phi S_i$$

$$X_i = X \frac{\sum_q \alpha_q x_{qi}}{\sum_q \sum_i \alpha_q x_{qi}}$$

$$E_i^* = X_i + \phi S_i$$

We begin with the residential, then retail sector, then trips capacities, and finally employment

$$T_{ij}^k = E_i \frac{R_j \exp(-\lambda^k c_{ij}^k)}{\sum_{jk} R_j \exp(-\lambda^k c_{ij}^k)}$$

$$P_j = \sum_{ik} T_{ij}^k$$

if $P_j > P_j^{\max} \rightarrow R_j^* = R_j \frac{P_j}{P_j^{\max}}$

$$S_{jz}^k = P_j \frac{W_z \exp(-\lambda^k c_{jz}^k)}{\sum_{jz} W_z \exp(-\beta^k c_{jz}^k)}$$

$$S_z = \sum_{jk} S_{jz}^k$$

if $S_z > S_z^{\max} \rightarrow W_z^* = W_z \frac{S_z}{S_z^{\max}}$

if $F_{ij}^k (= T_{ij}^k + S_{ij}^k) > CAP_{ij}^k \rightarrow c_{ij}^{k*} = c_{ij}^k \frac{T_{ij}^k + S_{ij}^k}{CAP_{ij}^k}$

$$E_i = X_i + \phi S_i$$

$$X_i = X \frac{\sum_q \alpha_q x_{qi}}{\sum_q \sum_i \alpha_q x_{qi}}$$

$$E_i^* = X_i + \phi S_i$$

We begin with the residential, then retail sector, then trips capacities, and finally employment

$$T_{ij}^k = E_i \frac{R_j \exp(-\lambda^k c_{ij}^k)}{\sum_{jk} R_j \exp(-\lambda^k c_{ij}^k)}$$

$$P_j = \sum_{ik} T_{ij}^k$$

$$\text{if } P_j > P_j^{\max} \rightarrow R_j^* = R_j \frac{P_j}{P_j^{\max}}$$

$$S_{jz}^k = P_j \frac{W_z \exp(-\lambda^k c_{jz}^k)}{\sum_{jz} W_z \exp(-\beta^k c_{ijz}^k)}$$

$$S_z = \sum_{jk} S_{jz}^k$$

$$\text{if } S_z > S_z^{\max} \rightarrow W_z^* = W_z \frac{S_z}{S_z^{\max}}$$

$$\text{if } F_{ij}^k (= T_{ij}^k + S_{ij}^k) > CAP_{ij}^k \rightarrow c_{ij}^{k*} = c_{ij}^k \frac{T_{ij}^k + S_{ij}^k}{CAP_{ij}^k}$$

$$E_i = X_i + \phi S_i$$

$$X_i = X \frac{\sum_q \alpha_q x_{qi}}{\sum_q \sum_i \alpha_q x_{qi}}$$

$$E_i^* = X_i + \phi S_i$$

We begin with the residential, then retail sector, then trips capacities, and finally employment

$$T_{ij}^k = E_i \frac{R_j \exp(-\lambda^k c_{ij}^k)}{\sum_{jk} R_j \exp(-\lambda^k c_{ij}^k)}$$

$$P_j = \sum_{ik} T_{ij}^k$$

$$\text{if } P_j > P_j^{\max} \rightarrow R_j^* = R_j \frac{P_j}{P_j^{\max}}$$

$$S_{jz}^k = P_j \frac{W_z \exp(-\lambda^k c_{jz}^k)}{\sum_{jz} W_z \exp(-\beta^k c_{jz}^k)}$$

$$S_z = \sum_{jk} S_{jz}^k$$

$$\text{if } S_z > S_z^{\max} \rightarrow W_z^* = W_z \frac{S_z}{S_z^{\max}}$$

$$\text{if } F_{ij}^k (= T_{ij}^k + S_{ij}^k) > CAP_{ij}^k \rightarrow c_{ij}^{k*} = c_{ij}^k \frac{T_{ij}^k + S_{ij}^k}{CAP_{ij}^k}$$

$$E_i = X_i + \phi S_i$$

$$X_i = X \frac{\sum_q \alpha_q x_{qi}}{\sum_q \sum_i \alpha_q x_{qi}}$$

$$E_i^* = X_i + \phi S_i$$

We begin with the residential, then retail sector, then trips capacities, and finally employment

$$T_{ij}^k = E_i \frac{R_j \exp(-\lambda^k c_{ij}^k)}{\sum_{jk} R_j \exp(-\lambda^k c_{ij}^k)}$$

$$P_j = \sum_{ik} T_{ij}^k$$

$$\text{if } P_j > P_j^{\max} \rightarrow R_j^* = R_j \frac{P_j}{P_j^{\max}}$$

$$S_{jz}^k = P_j \frac{W_z \exp(-\lambda^k c_{jz}^k)}{\sum_{jz} W_z \exp(-\beta^k c_{jz}^k)}$$

$$S_z = \sum_{jk} S_{jz}^k$$

$$\text{if } S_z > S_z^{\max} \rightarrow W_z^* = W_z \frac{S_z}{S_z^{\max}}$$

$$\text{if } F_{ij}^k (= T_{ij}^k + S_{ij}^k) > CAP_{ij}^k \rightarrow c_{ij}^{k*} = c_{ij}^k \frac{T_{ij}^k + S_{ij}^k}{CAP_{ij}^k}$$

$$E_i = X_i + \phi S_i$$

$$X_i = X \frac{\sum_q \alpha_q x_{qi}}{\sum_q \sum_i \alpha_q x_{qi}}$$

$$E_i^* = X_i + \phi S_i$$

We begin with the residential, then retail sector, then trips capacities, and finally employment

$$T_{ij}^k = E_i \frac{R_j \exp(-\lambda^k c_{ij}^k)}{\sum_{jk} R_j \exp(-\lambda^k c_{ij}^k)}$$

$$P_j = \sum_{ik} T_{ij}^k$$

$$\text{if } P_j > P_j^{\max} \rightarrow R_j^* = R_j \frac{P_j}{P_j^{\max}}$$

$$S_{jz}^k = P_j \frac{W_z \exp(-\lambda^k c_{jz}^k)}{\sum_{jz} W_z \exp(-\beta^k c_{jz}^k)}$$

$$S_z = \sum_{jk} S_{jz}^k$$

$$\text{if } S_z > S_z^{\max} \rightarrow W_z^* = W_z \frac{S_z}{S_z^{\max}}$$


$$\text{if } F_{ij}^k (= T_{ij}^k + S_{ij}^k) > CAP_{ij}^k \rightarrow c_{ij}^{k*} = c_{ij}^k \frac{T_{ij}^k + S_{ij}^k}{CAP_{ij}^k}$$

$$E_i = X_i + \phi S_i$$

$$X_i = X \frac{\sum_q \alpha_q x_{qi}}{\sum_q \sum_i \alpha_q x_{qi}}$$

$$E_i^* = X_i + \phi S_i$$

We begin with the residential, then retail sector, then trips capacities, and finally employment




Here are all the loops

Requirements for Large Scale Models: Computational Resources, Intelligibility, Accessibility, and Relations to Stakeholder

I list these and then will illustrate some of them with our
London model

- Visual simulation – user control
- Mapping and visual analytics
- Speed of operation
- Intelligibility to professionals
- Modest data requirements
- Good ‘What If’ capabilities

Reading about integrated models is more tricky as these models are convoluted – involved – that clear statements are hard to find. Two papers are relevant and I will put these up later today.



Iacono, M., Levinson, D., and El-Geneidy, A. (2008) Models of Transportation and Land Use Change: A Guide to the Territory, **Journal of Planning Literature**, **22**, 323-340, and



Hunt, J. D. , Kriger, D. S. and Miller, E. J.(2005) Current Operational Urban Land-Use-Transport Modelling Frameworks: A Review, **Transport Reviews**, **25**, 329 — 376

Questions?